

## Treated Water Use Restrictions (Numbers of Days)

Trade Name	Common Name	Human			Animal	Irrigation		
		Drinking	Swimming	Fish Consumption	Drinking	Turf	Forage	Food Crops
Aquathol K, Cascade	endothall <sup>a</sup>	7-25 <sup>n</sup>	1	0	7-25	0	7-25	7-25
Aquathol Super K	endothall <sup>a</sup>	7 <sup>n</sup>	1	0	7	0	7	7
Various	copper complexes	0	0	0	0	0	0	0
Various	copper sulfate <sup>a</sup>	0	0	0	0	0	0	0
Aqua-Kleen, DMA 4 IVM, Navigate	2,4-D	21 <sup>b</sup>	--	--	0	21 <sup>c</sup>	21 <sup>c</sup>	21 <sup>c,d</sup>
Habitat, Arsenal, Polaris, Imazapyr 4 SL	imazapyr <sup>a</sup>	2	0	0	0	120 <sup>d</sup>	120 <sup>d</sup>	120 <sup>d</sup>
Hydrothol 191, Teton	endothall	7-25 <sup>n</sup>	1	0	7-25	7-25	7-25	7-25
Renovate 3	triclopyr	- <sup>f</sup>	0	0	0 <sup>g</sup>	0 <sup>h</sup>	120 <sup>h</sup>	120 <sup>h</sup>
Reward, Tribune, Weedtrine-D,	diquat	1-3	0	0	1	1-3	5	5
Rodeo, Roundup Custom, Glyphosate 5.4	glyphosate	0	0	0	0	0	0	0
Sonar (various), Alligare fluridone	fluridone <sup>a</sup>	0	0	0	0	30 <sup>i</sup>	30 <sup>i</sup>	30 <sup>h</sup>
Stingray	Carfentrazone ethyl	1 <sup>k</sup>	0	0	1 <sup>k</sup>	14 <sup>k</sup>	14 <sup>k</sup>	14 <sup>k</sup>
GreenCleanPro, PAK 27, Phycomycin SPC	sodium rcarbonate peroxyhydrate <sup>a</sup>	0	0	0	0	0	0	0
Magnacide H	acrolein <sup>a</sup>	no	No	no	no	See label		
Clipper	flumioxazin	0	0	no	0	0-3	0	5
petroleum distillate	xylene <sup>a</sup>	no	No	no	no	See label		
Clearcast, Topdeck, Imox	imazamox	0 <sup>j</sup>	0	0	0	See label		
Tradewind	bispyribac-sodium	0	0	0	0 <sup>l</sup>	0	0	0 <sup>l</sup>
Galleon SC	penoxsulam	0	0	0	0	0 <sup>m</sup>	0 <sup>m</sup>	0 <sup>m,j</sup>
ProcellaCOR EC, ProcellaCOR SC	florpyrauxifen-benzyl	See label	0	0	See label	See label	See label	See label
Oasis	topramezone	0 <sup>x</sup>	0 <sup>x</sup>	0 <sup>x</sup>	See label	See label	See label	See label
Various	lanthanum-modified bentonite clay	See label	See label	See label	See label	0	0	0

<sup>a</sup> For Washington there are additional water use restrictions mandated within the Aquatic Plant and Algae Management General Permit and the Irrigation Canal General Permit.

<sup>b</sup> See label for distance allowed from potable water intake.

<sup>c</sup> Shorter interval may be used if approved assay indicates less than 0.1 ppm 2,4-D.

<sup>d</sup> Do not use in ditches where water is used to irrigate highly susceptible crops, such as cotton, grapes, and tomatoes.

<sup>e</sup> Less if Habitat herbicide residue levels are determined by laboratory analysis or other appropriate means of analysis to be below 1 ppb.

<sup>f</sup> Drinking water can only be used when concentration of Renovate 3 is less than 0.4 ppm as determined by laboratory analysis.

<sup>g</sup> See label for drinking water or grazing restrictions for lactating dairy animals.

<sup>h</sup> If Renovate 3 residue levels are determined to be nondetectable by laboratory analysis, there is no restriction for use of irrigation water on established grasses.

<sup>i</sup> Restrictions suggested by manufacturer.

<sup>j</sup> No restrictions if less than 20% of the water surface is treated.

<sup>k</sup> When concentration is less than 50 ppb

<sup>l</sup> When concentration is less than 1 ppb

<sup>m</sup> When concentration is less than 30 ppb

<sup>n</sup> Endothall concentration must be below the MCL of 0.1ppm to use drinking water.