

# Herbicide Effectiveness on Weeds in Tree Fruits

WEED FAMILY <sup>1</sup>	Soil-applied Herbicides												Postemergent Herbicides			
	simazine	diuron	terbacil (Sinbar)	norflurazon (Soltan)	dichlobenil (Casoron)	onyzalin (Surflan)	napropamide (Devrinol)	pronamide (Kerb)	fluroxazin (Chateau)	paraquat (Gramoxone)	indaziflam (Alion)	oxyfluorfen (Goal)	glyphosate (Roundup)	sethoxydim (Poast)	fluazifop (Fusilade)	2,4-D (weed-Rip)
<b>AMARANTH OR PIGWEED</b>																
Amaranth, Powell <i>Amaranthus powellii</i>	G	G	F		G	G	G		G	G	G		G	G	P	P
Pigweed, redroot <i>Amaranthus retroflexus</i>	G	G	F	F	G	G	G	P	G	G	G	G	G	G	P	P
Pigweed, tumble <i>Amaranthus graecizans</i>	G	G	F		G		G		G	G	G		G	G	P	P
<b>BUCKWHEAT</b>																
Buckwheat, wild <i>Polygonum convolvulus</i>	G	G	G		G				P	P	G	G	G	G	P	P
Dock, broadleaf (P) <i>Rumex obtusifolius</i>		F*	G*		G	P			P	P	+		G	G	P	P
Dock, curly (P) <i>Rumex crispus</i>					G			F	P	P		F			P	P
Knotweed, prostrate <i>Polygonum aviculare</i>	G	F	G	G	G	G	F	F	F	G	+	F	G	F	P	P
Ladysthumb <i>Polygonum persicaria</i>	F	F	G	F	G	F	P		F	G	G	F	G	G	P	P
Sorrel, red (P) <i>Rumex acetosella</i>		G*	G*		G			F	P	G	+	G*	G		P	P
<b>CALTROP</b>																
(Puncturevine) <i>Tribulus terrestris</i>	P	P	F	G	G	F	F		F	F	G		G	G	P	P
<b>CARROT</b>																
Carrot, wild (B) <i>Daucus carota</i>	G	G	G	G	G			P	F	G	G	P	G	G	P	P
<b>COMPOSITE</b>																
Chicory (P) <i>Cichorium intybus</i>					G			P		G					P	P
Cocklebur, broadleaf <i>Xanthium strumarium</i>					F			P				G*	G	G	P	P
Cudweed, low					G			P					G	G	P	P

WEED FAMILY <sub>1</sub>	Soil-applied Herbicides										Postemergent Herbicides					
	simazine	diuron	terbutyl (Sinbar)	norflurazon (Soltam)	dichlobenil (Casoron)	oryzalin (Surflan)	napropamide (Devrinol)	pronamide (Kerb)	flumioxazin (Chateau)	paraquat (Gramoxone)	indaziflam (Allon)	oxyfluorfen (Goal)	fluazifop (Fusilade)	2,4-D (weed-Rite)	glyphosate (Roundup)	
<i>Gnaphalium uliginosum</i>																
Dandelion, common (P) <i>Taraxacum officinale</i>	*	P	F	*	G	P	*	P		P	+	G*	G	G	P	P
Dandelion, false (Spotted catsear) (P) <i>Hypochaeris radicata</i>	*	P	P	*	G	P	P	P		P	+	G*	G	F	P	P
Devil's beggarsticks <i>Bidens frondosa</i>		G	F		G			P							P	P
Goldenrod, western (P) <i>Solidago occidentalis</i>		P	P			P	P	P			P		G		P	P
Groundsel, common <i>Senecio vulgaris</i>	F	F			G	P	G	P	G	G	G	G	G	G	P	P
Hawkbit, hairy (P) <i>Leontodon nudicaulis</i>	*	*	*	*	G	*	*	P				+		G	P	P
Hawksbeard, bristly <i>Crepis setosa</i>			G		G		P	G		G	G	G	G	P	P	P
Horseweed (P) <i>Conyza canadensis</i>		F	P		F	P	F	P	G	G	+	P	G		P	P
Knapweed, diffuse <i>Centaurea diffusa</i>					G			P					G	G	P	P
Mayweed or dog fennel <i>Anthemis cotula</i>		G	G		G	P		P	G	G	*	F	G	F	P	P
Pineappleweed <i>Matricaria matricarioide</i>		G	G		G	P	G	P	G	G	*	F	G	F	P	P
Prickly lettuce <i>Lactuca serriola</i>		G	G		G	P	G	P	G	G	G	G	G	G	P	P
Ragweed, common <i>Ambrosia artemisiifolia</i>					G			P	G			*	G	G	P	P
Ragwort, tansy (B) <i>Senecio jacobaea</i>		P	P		G	P	P	P	P	P	*		G	G	P	P
Salsify, western (B) <i>Tragopogon dubius</i>		P	P			P	P	P			F	P		G	P	P
Sowthistle, annual <i>Sonchus oleraceus</i>		F	G		G	P	G	P	G	G		G	G	G	P	P
Sowthistle, spiny		F	G		G	P	G	P		G			G	G	P	P

WEED FAMILY <sub>1</sub>	Soil-applied Herbicides												Postemergent Herbicides					
	simazine	diuron	terbutyl (Sinbar)	norflurazon (Soltam)	dichlobenil (Casoron)	oxyazin (Surfan)	napropamide (Devrinol)	pronamide (Kerb)	fluimoxazin (Chateau)	indaziflam (Alion)	paraquat (Gramoxone)	oxyfluorfen (Goal)	fluazifop (Fusilade)	2,4-D (weed-Rite)	glyphosate (Roundup)			
<i>Sonchus asper</i>																		
Thistle, bull (B) <i>Cirsium vulgare</i>		G	F		G		P		G	P	F*	G	G	P	P			
Thistle, Canada (P) <i>Cirsium arvense</i>		P	P		G	P	P	P	P	P	+	G	F	P	P			
EVENING PRIMROSE																		
Fireweed (P) <i>Epilobium angustifolium</i>		G	G		F		P		F	G	G	G	G	F	P	P		
FIGWORT																		
Mullein, common (B) <i>Verbascum thapsus</i>		P			G		P			F		F	F	F	P	P		
Speedwell, birdseye <i>Veronica persica</i>		P	F		G		P		G	G		G	F	P	P			
Speedwell, creeping <i>Veronica filiformis</i>					F		P						G	F	P	P		
Speedwell, ivyleaf <i>Veronica hederifolia</i>		P	F		F		P		G	G	G	G	F	P	P			
Toadflax, yellow (P) <i>Linaria vulgaris</i>		P	P		P		P	p		p			p	p	p	p		
GERANIUM																		
Filaree, redstem <i>Erodium cicutarium</i>	P	F	G	G	G	P	G	P	F	G	F	G	G	G	P	P		
Geranium, cutleaf <i>Geranium dissectum</i>		G	G		G		G	P	F	G	G		G	F	P	P		
Geranium, dovefoot <i>Geranium molle</i>		G	G		G		G	P	F	G	G	F	G	P	P	P		
GOOSEFOOT																		
Kochia <i>Kochia scoparia</i>		F	G		G	P	P	F		G	F	G	G	F	P	P		
Lambsquarters, common <i>Chenopodium album</i>	G	G	G	G	G	G	G	F	G	G	F	F	G	G	P	P		
Thistle, Russian <i>Salsola kali</i>		P	F	G	G	F	P	P	G	G	F	G	G	F	P	P		

WEED FAMILY <sub>1</sub>	Soil-applied Herbicides												Postemergent Herbicides				
	simazine	diuron	terbutyl (Sinbar)	norflurazon (Soltam)	dichlobenil (Casoron)	oryzalin (Surflan)	napropamide (Devrinol)	pronamide (Kerb)	flumioxazin (Chateau)	indaziflam (Alion)	paraquat (Gramoxone)	oxyfluorfen (Goal)	gluphosate (Roundup)	2,4-D (weed-Rite)	fluazifop (Fusilade)	sethoxydim (Poast)	
GRASS, ANNUAL																	
Barnyardgrass <i>Echinochloa crusgalli</i>	F	G	F	G	G	G	F-G	P	P	G	G	P	G	P	G	G	
Bluegrass, annual <i>Poa annua</i>	G	G	G	G	G	G	G	G	F	G	G	F*	G	P	P	P	
Brome, downy <i>Bromus tectorum</i>	G	P	G	G	G	G	F-G	G		G	G	F#	G	P	G	G	
Brome, ripgut <i>Bromus rigidus</i>	G	G	G		G	G	G	G		G	G	F#	G	P			
Bromes, annual <i>Bromus</i> spp.				G		G	G	G		G	G	F#	G	P	G	G	
Crabgrass <i>Digitaria</i> spp.	P-F	F-G	G	F	G	G		P	P	G	G		G	P	G	G	
Foxtail, green <i>Setaria viridis</i>	P-F	F	F	F	G	G	F	F		G	G	F#	G	P	G	G	
Foxtail, yellow <i>Setaria glauca</i>		F	F		G	G	G	F		G	G	F#	G	P	G	G	
Johnsongrass seedlings <i>Sorghum halepense</i>					G				P	P	G		G	P	G	G	
Oat, wild <i>Avena fatua</i>	F	P	G	G	F	P	G	G	P	G	G	G#	G	P	G	G	
Ryegrass, annual or Italian <i>Lolium multiflorum</i>	G	G	G		G	G	G	G	P	G	G	G#	G	P	F-G	G	
Sandbur, longspine <i>Cenchrus longispinus</i>	F	F	F	F		G	G				F		G	P			
Velvetgrass <i>Holcus lanatus</i>		P	G		G		P	G		G	F		G	P	F-G	G	
Witchgrass <i>Panicum capillare</i>		P	G		G	G	G	F	F	G	G		G	P	G	G	
GRASS, PERENNIAL																	
Bentgrass <i>Agrostis tenuis</i>	*	*	F*	*	G	*	*	G		G	+		G	P	G	G	
Bermudagrass <i>Cynodon dactylon</i>		P	P			P	P	P		G	P	G	G	P	G	F-G	

WEED FAMILY <sub>1</sub>	Soil-applied Herbicides												Postemergent Herbicides				
	simazine	diuron	terbutyl (Sinbar)	norfuralon (Soltam)	dichlobenil (Casoron)	oryzalin (Surflan)	napropamide (Devrinol)	flumioxazin (Chateau)	paraquat (Gramoxone)	oxyfluorfen (Goal)	fluazifop (Fusilade)	2,4-D (weed-Rite)	glyphosate (Roundup)				
Fescue, red creeping <i>Festuca rubra</i>					F		G		G		G	P	G	P	P	P	
Quackgrass <i>Elytrigia repens</i>	P	P	F	P	G	P	P	G	P	F	P	G	P	F	P	P	
MADDER																	
Bedstraw, catchweed <i>Galium aparine</i>		P	P		G	F		P		P	G*		P	P	P	P	P
Bedstraw, corn <i>Galium tricorne</i>				G									P	P	P	P	P
MALLOW																	
Mallow, common <i>Malva neglecta</i>	F	P	G	F	F	P	G	P		F		P	F	F	P	P	P
MINT																	
Deadnettle, red <i>Lamium purpureum</i>	G	G	F	G	G		P	F		G	G	G	F	P	P	P	P
Henbit <i>Lamium amplexicaule</i>	G	G	F	G	G	F	P	F		G	G	G	F	P	P	P	P
MORNINGGLORY																	
Bindweed, field (P) <i>Convolvulus arvensis</i>	P	P	P		P-F	P	P	P		P	+	+	F-G	F	P	P	P
MUSTARD																	
Bittercress, little <i>Cardamine oligosperma</i>		G	G		G	P	G	P	G	G	G	G	G	G	P	P	P
Cress, hoary (P) <i>Cardaria draba</i>	*	*			G									F	P	P	P
Flixweed <i>Descurainia sophia</i>		G	G			P	F	F#				F		G	P	P	P
Mustard, hedge <i>Sisymbrium officinale</i>	*	*	G		F-G	P		F#	G	G		F	G	G	P	P	P
Mustard, wild <i>Brassica kaber</i>	G	G	G	G	G	G	G	F#	G	G	G	F	G	G	P	P	P
Shepherdspurse <i>Capsella bursa-pastoris</i>	G	G	G	G	G	P	P	F#	G	G	G	P	G	G	P	P	P

WEED FAMILY <sub>1</sub>	Soil-applied Herbicides												Postemergent Herbicides					
	simazine	diuron	terbutyl (Sinbar)	norflurazon (Soltam)	dichlobenil (Casoron)	oxyazin (Surfan)	napropamide (Kerb)	pronamide (Chateau)	fluimoxazin (Chateau)	indaziflam (Alion)	paraquat (Gramoxone)	oxyfluorfen (Goal)	fluazifop (Fusilade)	2,4-D (weed-Rite)	glyphosate (Roundup)			
<b>NIGHTSHADE</b>																		
Nightshade, black <i>Solanum nigrum</i>	G	G	G	G	G	P	P	F#	E	G	G	G	G	G	P	P		
Nightshade, cutleaf <i>Solanum triflorum</i>		G	G		G			F#	E	G	G	G	G	G	P	P		
Nightshade, hairy <i>Solanum sarachoides</i>	G	G	G	G	G	P	P	F#	E	G	G	G	G	G	P	P		
<b>PINK</b>																		
Chickweed, common <i>Stellaria media</i>	G	G	G		G	G	G	G	G	G	G	P	G	G	P	P		
Chickweed, mouseear <i>Cerastium vulgatum</i>	G	G	G		G	G	G	G	G	G	G	P	G	F	P	P		
Spurry, corn <i>Spergula arvensis</i>	G	G	G		G	G	G		G	G	G	G	G	P	P	P		
<b>PLANTAGINACEAE</b>																		
Plantain, broadleaf (P) <i>Plantago major</i>	G	P	G		G			P			G	F*	G	G	P	P		
Plantain, buckhorn (P) <i>Plantago lanceolata</i>	G	P	G		G			P			G	F*	G	G	P	P		
<b>PURSLANE</b>																		
Minerslettuce <i>Montia perfoliata</i>	G	G	G	G	G		P				G	G	G	G	P	P		
Purslane, common <i>Portulaca oleracea</i>	G	G	G	F	G	G	G	F	E	G	G	G	G	F	P	P		
<b>ROSE</b>																		
Blackberry, evergreen (P) <i>Rubus laciniatus</i>	P	P	F		P	P	P	P	P	P	+	P	G	F	P	P		
Blackberry, Himalaya (P) <i>Rubus procerus</i>	P	P	F		P	P	P	P	P	P	+	P	G	F	P	P		
Blackberry, trailing (P) <i>Rubus vitifolius</i>	P	P	F		P	P	P	P	P	P	+	P	G	F	P	P		
<b>SEDGE</b>																		
Nutsedge, yellow (P) <i>Cyperus</i>	P	P	P	F	G	P	P	P	P	P	F	P	F	P-F	P	P		

WEED FAMILY <sup>1</sup>	Soil-applied Herbicides												Postemergent Herbicides			
	simazine	diuron	terbutyl (Sinbar)	dichlobenil (Casoron)	norfuralon (Soltam)	oryzalin (Surflan)	napropamide (Devrinol)	pronamide (Kerb)	flumioxazin (Chateau)	indaziflam (Allion)	paraquat (Gramoxone)	oxyfluorfen (Goal)	fluazifop (Fusilade)	2,4-D (weed-Rite)	glyphosate (Roundup)	
<i>esculentus</i>																
SPURGE																
Spurge, leafy (P) <i>Euphorbia esula</i>					G			P	P	P		P		P-F	P	P
Spurge, prostrate <i>Euphorbia humistrata</i>	P	P	G	F	G	F	P		G	P	G		G	F	P	P
St. Johnswort (P) <i>Hypericum perforatum</i>		P	P		G		P		P	P	+		G	F	P	P
SUMAC																
Poison-oak, Pacific (P) <i>Toxicodendron diversilobum</i>		P	P		G		P			P	+		G	F	P	P
TEASEL																
Teasel <i>Dipsacus sylvestris</i>					G					P	G		G	G	P	P

G = good (80-94%)      F = fair (60-79%)      P = poor (less than 50%) (\*) = seedling control only

(+) = controls aboveground vegetation only      (#) = preemergence only

<sup>1</sup>Weeds not identified as biennials (B) or perennials (P) are considered annuals.